



# ***LAB GT2 GP***

## ***Instruction Manual***



| Part Code | Part Name & Picture                                                                                                  | Qty |
|-----------|----------------------------------------------------------------------------------------------------------------------|-----|
| Cap 3127  | Shock Body                          | 4   |
| Cap 3134  | Teflon Coated Shock Shaft           | 4   |
| Cap 3133  | Shock Piston 8Holes                 | 4   |
| Cap 3140  | Shock Seal Cap O-Ring               | 4   |
| Cap 3138K | Shock O-Ring + Shims                | 4   |
| Cap 3128  | Shock Seal Cap                      | 4   |
| Cap 3141K | Shock Ball Joint + Ball 6mm        | 4   |
| Cap 3135  | Shock Spring Holder               | 4   |
| Cap 3129K | Shock Spring Adjust Nut + O-Ring  | 4   |

| Part Code     | Part Name & Picture                                                                                                  | Qty |
|---------------|----------------------------------------------------------------------------------------------------------------------|-----|
| Cap 3132      | Shock Bladder Medium              | 4   |
| Cap 3131K     | Shock Cap + Ball Bushing + Screw  | 4   |
| Cap 3144-5.0  | Blue Spring                       | 2   |
| Cap 3144-4.75 | Purple Spring                     | 2   |
| Cap 3143      | Shim 2.6x6x0.6                    | 4   |
| Cap 17039     | Self-locking Nut M2.5             | 4   |



**DEFAULT SETUP**

FRONT: 1000cSt

REAR: 1000cSt

**FILL SHOCK AS FOLLOWS**

1. Extend the shock shaft completely
2. Fill up the shock body fully with silicone oil (not included)
3. Move the shock shaft slowly up and down to let all air bubbles escape from oil

Insert the O-Ring inside the  
shock spring adjust nut



Apply some mineral oil  
before assembling



Cap 3129K

Cap 3129K




# Shock Absorbers


## Step 2

Capricorn RC

BUILD 4X

**CLOSE SHOCK AS FOLLOWS**

1. Insert the shock bladder into the shock cap and close the shock cap
2. Slowly push the shock shaft up to the end of shock cap (some oil could leak out from the shock)
3. Then tight the screw M2.0x4.6



This initial value must be changed to set up the required ride height

**DEFAULT SETUP**

FRONT: Cap 3144-5.0 Blue  
REAR: Cap 3144-4.75 Purple



| Part Code | Part Name & Picture                                                                                             | Qty |
|-----------|-----------------------------------------------------------------------------------------------------------------|-----|
| Cap 3115  | Differential Case              | 2   |
| Cap 3117  | Crown Gear 43T                 | 2   |
| Cap 2017  | Bearing 8x16x5                 | 4   |
| Cap 3124  | Differential Outdrive          | 2   |
| Cap 3160  | O-Ring 4.8X1.5                 | 4   |
| Cap 3121  | Washer 5x12x0.3                | 4   |
| Cap 3125  | Parallel Pin 2.2x9.9          | 4   |
| Cap 3118K | Differential Bevel Gear 20T  | 2   |
| Cap 3118K | Bevel Gear Shaft             | 4   |

| Part Code | Part Name & Picture                                                                                                  | Qty |
|-----------|----------------------------------------------------------------------------------------------------------------------|-----|
| Cap 3118K | Differential Bevel Gear 10T       | 8   |
| Cap 3118K | Washer 3.5x10x0.2                 | 8   |
| Cap 3116  | Differential Paper Gasket         | 2   |
| Cap 2143  | Countersunk Head Cap Screw M3x12  | 8   |






# Differentials

Step 1

Capricorn RC

BUILD 2X





| Part Code | Part Name & Picture                                                                                                   | Qty |
|-----------|-----------------------------------------------------------------------------------------------------------------------|-----|
| Cap 3007  | Differential Pinion Holder           | 2   |
| Cap 3065  | Bearing 5x13x4                       | 4   |
| Cap 3113  | Pinion Gear 13T                      | 2   |
| Cap 3111  | Differential Shaft Driver            | 2   |
| Cap 3112  | Grub Screw M5x4                      | 2   |
| Cap 3006  | Bulkhead                             | 4   |
| Cap 3181  | Front Shock Tower                   | 1   |
| Cap 3216  | Rear Shock Tower                   | 1   |
| Cap 17034 | Button Head Cap Screw Flange M3x8  | 6   |

| Part Code | Part Name & Picture                                                                                                   | Qty |
|-----------|-----------------------------------------------------------------------------------------------------------------------|-----|
| Cap 3180  | Front Shock Column                 | 2   |
| Cap 3023  | Rear Shock Column                  | 2   |
| Cap 17032 | Button Head Cap Screw M3x8         | 4   |
| Cap 40229 | Socket Head Cap Screw M3x8         | 8   |
| Cap 17030 | Button Head Cap Screw Flange M3x6  | 16  |
| Cap 3045  | Differential Eccentric FL RR       | 2   |
| Cap 3046  | Differential Eccentric FR RL      | 2   |
| Cap 2031  | Anti-Roll Bar Bearing Holder     | 4   |
| Cap 18082 | Flanged Bearing 5x8x2.5          | 4   |

| Part Code    | Part Name & Picture                                                                                      | Qty |
|--------------|----------------------------------------------------------------------------------------------------------|-----|
| Cap 17006    | Grub Screw M3x3         | 4   |
| Cap 3048-2.5 | Rear Anti-Roll Bar 2.5  | 1   |
| Cap 3049-2.7 | Rear Anti-Roll Bar 2.7  | 1   |

Push the shaft driver against the pinion gear to leave a very small gap and then tighten the grub screw onto the pinion gear flat spot





Cap 3113



(2x) Cap 3065



Cap 3113



Cap 3007




Cap 3112




Thread lock

# Front Bulkhead Step 0

Capricorn RC





DEFAULT SHOCK  
ABSORBER POSITION




DIFFERENTIAL  
PINION HOLDER

Thread lock (4x) Cap 40229




DEFAULT  
PINION  
POSITION



DOWN  
Cap 3046Thread lock  (8x) Cap 17030

FRONT DIFFERENTIAL



# Rear Blukhead Step o

Capricorn RC



DEFAULT SHOCK  
ABSORBER POSITION



Thread lock




(2x) Cap 17032

Thread lock



(2x) Cap 17034



(2x) Cap 3023


Cap 3216

(2x) Cap 3007

DIFFERENTIAL  
PINION HOLDER




(4x) Cap 40229




DEFAULT  
PINION  
POSITION













| Part Code | Part Name & Picture                                                                                                       | Qty |
|-----------|---------------------------------------------------------------------------------------------------------------------------|-----|
| Cap 3205  | Lower Front Arm                          | 2   |
| Cap 3206  | Upper Front Arm                          | 2   |
| Cap 3212  | Lower Rear Arm                           | 2   |
| Cap 3187P | Lower Front Arm Pivot Insert             | 2   |
| Cap 3070P | Upper Front Arm Camber Extension Holder  | 2   |
| Cap 3213  | Lower Rear Arm Double Pivot Insert       | 2   |
| Cap 3068P | Upper Front Arm Camber Extension        | 2   |
| Cap 3210K | Arm Pivot Bushing 4mm                  | 12  |
| Cap 3211K | Arm Pivot Bushing 5mm                  | 2   |

| Part Code | Part Name & Picture                                                                                                     | Qty |
|-----------|-------------------------------------------------------------------------------------------------------------------------|-----|
| Cap 3032P | Anti-roll Bar Arm Holder             | 4   |
| Cap 3030P | Down Stop Arm Holder                 | 4   |
| Cap 3042  | Upper front Arm Turnbuckle DX/SX     | 4   |
| Cap 2129  | External Seeger $\phi 12$            | 14  |
| Cap 2018  | Grub Screw M4x10                     | 4   |
| Cap 17032 | Button Head Cap Screw Flange M3x8    | 12  |
| Cap 17023 | Button Head Cap Screw Flange M3x10  | 28  |









| Part Code | Part Name & Picture                                                                                         | Qty |
|-----------|-------------------------------------------------------------------------------------------------------------|-----|
| Cap 3018  | Front Upright              | 2   |
| Cap 3219  | Rear Upright               | 2   |
| Cap 3020  | Front Upper Upright        | 2   |
| Cap 3021P | Rear Upper Upright         | 2   |
| Cap 3063  | Upright Steering Plate     | 2   |
| Cap 3061  | Rear Upright Camber Plate  | 4   |
| Cap 2007  | Wheel Shaft Insert        | 4   |
| Cap 3081  | Wheel Axle Steel         | 4   |
| Cap 3026  | Pivot Ball 13.8mm        | 2   |

| Part Code | Part Name & Picture                                                                                          | Qty |
|-----------|--------------------------------------------------------------------------------------------------------------|-----|
| Cap 3220  | Pivot Ball 10mm           | 4   |
| Cap 3028  | Wheel Hub Offset 0        | 4   |
| Cap 3013  | CVD Axle Shaft 94mm       | 4   |
| Cap 3044R | Adjusting Nut M15x1 + OR  | 2   |
| Cap 3221  | Adjusting Nut M10x1       | 4   |
| Cap 3222  | OR 8x1.9                  | 4   |
| Cap 22015 | Shim 3x6x2.0             | 2   |
| Cap 2237  | Uniball 5.8mm           | 2   |
| Cap 3223  | Pivot Ball Link 7mm     | 2   |



| Part Code | Part Name & Picture                                                                                             | Qty |
|-----------|-----------------------------------------------------------------------------------------------------------------|-----|
| Cap 2017  | Bearing 8x16x5                 | 4   |
| Cap 2012  | Bearing 12x18x4                | 4   |
| Cap 2134  | Parallel Pin 2.5x11.8          | 4   |
| Cap 3082  | Parallel Pin 2.5x15.8          | 4   |
| Cap 17010 | Grub Screw M4x4                | 4   |
| Cap 3084  | Grub Screw M4x14               | 2   |
| Cap 17030 | Button Head Cap Screw M3x6    | 20  |
| Cap 17032 | Button Head Cap Screw M3x8   | 4   |
| Cap 17023 | Button Head Cap Screw M3x10  | 2   |







| Part Code | Part Name & Picture                                                                                           | Qty |
|-----------|---------------------------------------------------------------------------------------------------------------|-----|
| Cap 3035  | Left Steering Bellcrank      | 1   |
| Cap 3037  | Lower Steering Bellcrank     | 1   |
| Cap 2435  | Upper Steering Bellcrank     | 1   |
| Cap 16014 | Servo Saver Tube             | 1   |
| Cap 16033 | Servo Server Spring          | 1   |
| Cap 16028 | Servo Saver Tube Spring Nut  | 1   |
| Cap 3067  | Steering Plate Pin          | 2   |
| Cap 3207  | Boomerang                  | 1   |
| Cap 3043  | Steering Turnbuckle DX-SX  | 2   |

| Part Code  | Part Name & Picture                                                                                           | Qty |
|------------|---------------------------------------------------------------------------------------------------------------|-----|
| Cap 3034   | Servo Saver Column         | 2   |
| Cap 18169  | Uniball 5.8mm              | 1   |
| Cap 2237   | Uniball 7mm                | 4   |
| Cap 2361   | Short Uniball Link 7mm     | 4   |
| Cap 171015 | OR 10x1.5                  | 1   |
| Cap 29209  | Bearing 3x6x2.5            | 2   |
| Cap 16019  | Bearing 5x8x2.5           | 4   |
| Cap 2013   | Flanged Bearing 3x6x2.5  | 2   |
| Cap 22023  | Shim 3x5x0.3             | 2   |

| Part Code | Part Name & Picture                                                                                               | Qty |
|-----------|-------------------------------------------------------------------------------------------------------------------|-----|
| Cap 17040 | Self-locking Nut M3              | 2   |
| Cap 2235  | Button Head Cap Screw M3x5       | 2   |
| Cap 17030 | Button Head Cap Screw M3x6       | 2   |
| Cap 17029 | Countersunk Head Cap Screw M3x6  | 1   |

# Steering System Step 0

*Capricorn RC*

Cap 16019



Cap 3035



Cap 16019



Cap 2013



Cap 17040




Screw and adjust the self-locking  
nut M3 position for minimum play  
and freely movement

Cap 29209



Cap 3067





# Steering System

## Step 1



Screw and adjust the self-locking nut M3 position for minimum play and freely movement

Cap 17040

Cap 2013

Cap 3037

Cap 29209



**DEFAULT SETUP**  
Around 1.0mm



Cap 16028

Cap 16033

Cap 3067

Cap 2435

Cap 16019

Cap 16019

Cap 16014

Cap 171015



Use a lubricant for the OR assembly to prevent tears, twisting, pinching, cutting and abrasion of the rubber

Cap 17029




Thread lock

Cap 18169




| Part Code    | Part Name & Picture                                                                                                    | Qty |
|--------------|------------------------------------------------------------------------------------------------------------------------|-----|
| Cap 3057K    | Front Upper Arm Plate 7°              | 1   |
| Cap 3217     | Turnbuckle<br>4mm x 28mm              | 2   |
| Cap 40463    | Anti-roll Bar<br>Turnbuckle DX-SX     | 4   |
| Cap 3154     | Plastic Central Column<br>Holder      | 1   |
| Cap 3036-1.0 | Arm Pivot Shim                        | 4   |
| Cap 3218     | Long Uniball Link 7mm                 | 4   |
| Cap 14042KS  | Anti-roll Bar<br>Uniball Link 5.8mm  | 8   |
| Cap 18169    | Uniball 5.8mm                       | 4   |
| Cap 2237     | Uniball 7mm                         | 2   |

| Part Code    | Part Name & Picture                                                                                                    | Qty |
|--------------|------------------------------------------------------------------------------------------------------------------------|-----|
| Cap 2120-3.0 | Anti-Roll Bar Pivot 3.0             | 4   |
| Cap 17006    | Grub Screw M3x3                     | 4   |
| Cap 17032    | Button Head Cap<br>Screw M3x8       | 4   |
| Cap 2147     | Button Head Cap<br>Screw M4x8       | 2   |
| Cap 2146     | Countersunk Head Cap<br>Screw M4x8  | 16  |



STEERING SYSTEM







# Front Lower Arms Mounting


Capricorn RC

BUILD **2X** L/R


35














Rear Upper Arms  
MountingThread lock  Cap 17006

Cap 17006

REAR UPPER ARM  
DEFAULT POSITION

(2x) Cap 3218


Cap 3217


DEFAULT SETUP  
Around 16.0mm

Cap 3036-1.0


Graphite grease

FRONT UPRIGHT




Rear Upright  
Mounting

| Part Code    | Part Name & Picture                                                                                               | Qty |
|--------------|-------------------------------------------------------------------------------------------------------------------|-----|
| Cap 2050-62B | 1st Gear 62t                     | 1   |
| Cap 2051-58B | 2nd Gear 58t                     | 1   |
| Cap 2058B    | Flange 1st Gear                  | 1   |
| Cap 2059V2   | Flange 2nd Gear                  | 1   |
| Cap 3087     | 2-Speed Gear Shaft               | 1   |
| Cap 3145     | Central Shaft Driver             | 2   |
| Cap 2068B    | 2-Speed Shoe                    | 2   |
| Cap 2128     | 2nd Speed Centrifugal Weights  | 2   |
| Cap 16011    | 2nd Speed Screw Bushing        | 2   |

| Part Code   | Part Name & Picture                                                                                           | Qty |
|-------------|---------------------------------------------------------------------------------------------------------------|-----|
| Cap 17021   | Gear Box Screw M2.5x10     | 2   |
| Cap 16031H  | Gear Box Hard Spring       | 2   |
| Cap 3164    | Gear Box Plate             | 1   |
| Cap 3080    | Rear Stiffener Block       | 2   |
| Cap 3094    | Brake Lever                | 1   |
| Cap 3255    | Brake Camshaft             | 1   |
| Cap 3254    | Cylindrical Brake Slider  | 2   |
| Cap 2063C-K | Brake Pads               | 1   |
| Cap 2070    | Brake Spring             | 2   |




| Part Code | Part Name & Picture                                                                                          | Qty |
|-----------|--------------------------------------------------------------------------------------------------------------|-----|
| Cap 2038  | Brake Pad Bushing           | 2   |
| Cap 3253  | Differential Mounting Base  | 1   |
| Cap 3258  | Differential Holder         | 2   |
| Cap 3100  | Differential Holder Plate   | 1   |
| Cap 3088  | Ventilated Brake Disc       | 1   |
| Cap 3085  | Front Central Driveshaft    | 1   |
| Cap 3204  | Rear Central Driveshaft    | 1   |
| Cap 3208  | Front Upper Deck          | 1   |
| Cap 3098  | Rear Upper Deck           | 1   |

| Part Code    | Part Name & Picture                                                                                         | Qty |
|--------------|-------------------------------------------------------------------------------------------------------------|-----|
| Cap 3215     | Rear Spacer Plate        | 1   |
| Cap 3099     | Rear Stiffener           | 1   |
| Cap 18082    | Flanged Bearing 5x8x2.5  | 2   |
| Cap 2015     | Bearing 8x12x3.5         | 2   |
| Cap 3260     | Flanged Bearing 8x16x5   | 2   |
| Cap 2127-0.3 | Shim 8x10x0.3            | 1   |
| Cap 25502    | Benzing Shaft 5mm       | 1   |
| Cap 2006     | Benzing Shaft 8mm      | 1   |
| Cap 22018    | Shim 3x6x1.0           | 1   |

| Part Code | Part Name & Picture                                                                                            | Qty |
|-----------|----------------------------------------------------------------------------------------------------------------|-----|
| Cap 3043  | Steering Turnbuckle DX-SX     | 2   |
| Cap 3179  | Ext Uniball Link 7mm          | 2   |
| Cap 2444  | Uniball 7mm SL                | 2   |
| Cap 17040 | Self-locking Nut M3           | 2   |
| Cap 2643  | Grub Screw M3x2.5             | 2   |
| Cap 17008 | Grub Screw M3x8               | 2   |
| Cap 3112  | Grub Screw M5x4              | 2   |
| Cap 40229 | Socket Head Cap Screw M3x8  | 4   |
| Cap 18021 | Button Head Cap Screw M3x4  | 1   |


| Part Code | Part Name & Picture                                                                                                    | Qty |
|-----------|------------------------------------------------------------------------------------------------------------------------|-----|
| Cap 17030 | Button Head Cap Screw M3x6          | 4   |
| Cap 17034 | Button Head Cap Screw M3x8          | 2   |
| Cap 17023 | Button Head Cap Screw M3x10         | 2   |
| Cap 17012 | Button Head Cap Screw M3x12         | 1   |
| Cap 17025 | Button Head Cap Screw Flange M3x12  | 8   |
| Cap 17038 | Countersunk Head Cap Screw M3x5     | 3   |
| Cap 17029 | Countersunk Head Cap Screw M3x6    | 4   |
| Cap 17031 | Countersunk Head Cap Screw M3x8   | 7   |
| Cap 2146  | Countersunk Head Cap Screw M4x8   | 4   |




1<sup>st</sup> GEAR2<sup>nd</sup> GEAR

# Central Transmission Step 1


## Capricorn RC



The screw M2.5x10 must be smooth as indicated for soft change gear adjustment



Insert your hex driver all the way through the 2-speed shoe, then fit the hex screw on the hex driver and slowly turn your hex driver upwards




**DEFAULT SETUP**  
Around 14.6mm




1. Tighten the screws M2.5x10 gently until you get a small gap between the two clutch shoes
2. Adjust the two screws M2.5x10 in equal mode

**Note:** By tightening the screws, the 2 speed clutch will engage later, while loosening the screws will make the 2 speed clutch engage earlier












Central Transmission  
Step 5

Capricorn RC












| Part Code | Part Name & Picture                                                                                                | Qty |
|-----------|--------------------------------------------------------------------------------------------------------------------|-----|
| Cap 3096  | Rear Radioplate                   | 1   |
| Cap 3095  | Front Radioplate                  | 1   |
| Cap 40083 | Battery Plate Holder              | 2   |
| Cap 40115 | Radioplate Column                 | 7   |
| Cap 3102  | Brake Throttle Arm Column         | 1   |
| Cap 2452  | Servo Holder                      | 4   |
| Cap 18086 | Servo Bushing                    | 8   |
| Cap 16073 | Turnbuckle 3x46mm               | 1   |
| Cap 40463 | Anti-roll Bar Turnbuckle DX-SX  | 1   |




| Part Code  | Part Name & Picture                                                                                            | Qty |
|------------|----------------------------------------------------------------------------------------------------------------|-----|
| Cap 601    | Servo Lever                 | 1   |
| Cap 3083   | Brake Throttle Arm          | 1   |
| Cap 17041  | Carburetor Linkage          | 1   |
| Cap 17041  | Throttle T Joint            | 1   |
| Cap 17041  | Throttle Spring             | 1   |
| Cap 3146   | Throttle & Brake Linkages   | 2   |
| Cap 2460-A | Receiver Box               | 1   |
| Cap 2460-B | Receiver Box Cover        | 1   |
| Cap 2460-C | Receiver Power Cable Cap  | 1   |

| Part Code   | Part Name & Picture                                                                                                | Qty |
|-------------|--------------------------------------------------------------------------------------------------------------------|-----|
| Cap 18198   | Battery Plate                     | 1   |
| Cap 3079    | Battery Plate Holder              | 1   |
| Cap 14041L  | Long Uniball Link 5.8mm           | 2   |
| Cap 14042KS | Anti-roll Bar Uniball Link 5.8mm  | 2   |
| Cap 16015   | Collar                            | 2   |
| Cap 18169   | Uniball 5.8mm                     | 3   |
| Cap 22017   | Shim 3x6x3.0                     | 1   |
| Cap 18082   | Flanged Bearing 5x8x2.5         | 2   |
| Cap 14001   | Antenna Pipe & Cap              | 1   |


| Part Code | Part Name & Picture                                                                                                     | Qty |
|-----------|-------------------------------------------------------------------------------------------------------------------------|-----|
| Cap 17041 | Brake Regulator Knobble              | 1   |
| Cap 17006 | Grub Screw M3x3                      | 2   |
| Cap 18019 | Button Head Cap Screw M2.5x4         | 2   |
| Cap 17021 | Socket Head Cap Screw M2.5x10        | 1   |
| Cap 17035 | Countersunk Head Cap Screw M2.5x6    | 2   |
| Cap 17030 | Button Head Cap Screw M3x6           | 27  |
| Cap 17034 | Button Head Cap Screw M3x8          | 2   |
| Cap 17034 | Button Head Cap Screw Flange M3x8  | 8   |
| Cap 17038 | Countersunk Head Cap Screw M3x5    | 2   |

| Part Code | Part Name & Picture                                                                                                  | Qty |
|-----------|----------------------------------------------------------------------------------------------------------------------|-----|
| Cap 17029 | Countersunk Head Cap<br>Screw M3x6  | 8   |












# Radioplate Step 0





(8x) Cap 17030



# Radioplate Step 2









# Radioplate Step 5


THROTTLE &  
BRAKE LEVERS

Cap 17034  Thread lock

Cap 3146

Silicone pipe

Cap 17041








| Part Code | Part Name & Picture                                                                                         | Qty |
|-----------|-------------------------------------------------------------------------------------------------------------|-----|
| Cap 3158  | Bumper Foam                | 1   |
| Cap 3156  | Bumper                     | 1   |
| Cap 3157  | Bumper Plate               | 1   |
| Cap 3066  | Bumper Nose                | 1   |
| Cap 3153  | Body Tower                 | 5   |
| Cap 3155  | Body Holder                | 5   |
| Cap 3022  | Bumper Nose Column        | 1   |
| Cap 3159K | Rear Differential Cover  | 1   |
| Cap 3152  | Rear Body Mount          | 1   |

| Part Code | Part Name & Picture                                                                                               | Qty |
|-----------|-------------------------------------------------------------------------------------------------------------------|-----|
| Cap 3151  | Rear Body Bracket              | 2   |
| Cap 22021 | Shim 3x6x1.0                   | 2   |
| Cap 22015 | Shim 3x6x2.0                   | 2   |
| Cap 17040 | Self-locking Nut M3            | 7   |
| Cap 2112  | Self-locking Nut M4            | 2   |
| Cap 17139 | Button Head Cap Screw M2.5x14  | 5   |
| Cap 17030 | Button Head Cap Screw M3x6    | 2   |
| Cap 17032 | Button Head Cap Screw M3x8   | 3   |
| Cap 17023 | Button Head Cap Screw M3x10  | 2   |


| Part Code | Part Name & Picture                                                                                                     | Qty |
|-----------|-------------------------------------------------------------------------------------------------------------------------|-----|
| Cap 17012 | Button Head Cap<br>Screw M3x12         | 4   |
| Cap 17120 | Button Head Cap<br>Screw M3x20         | 2   |
| Cap 17140 | Button Head Cap<br>Screw M3x25         | 2   |
| Cap 17034 | Button Head Cap<br>Screw Flange M3x8   | 4   |
| Cap 17031 | Countersunk Head Cap<br>Screw M3x8     | 2   |
| Cap 2146  | Countersunk Head Cap<br>Screw M4x8     | 2   |
| Cap 17131 | Countersunk Head Cap<br>Screw M4x10   | 3   |
| Cap 2145  | Countersunk Head Cap<br>Screw M4x12  | 2   |









## Bumper Mounting









REAR BODY HOLDER


(2x) Cap 17120

(2x) Cap 17023


(2x) Cap 17040

Remove temporarily the rear  
upper arm to insert the nut in  
its seat

| Part Code  | Part Name & Picture                                                                                                 | Qty |
|------------|---------------------------------------------------------------------------------------------------------------------|-----|
| Cap 3177   | Tank                               | 1   |
| Cap 16078L | Exhaust Pipe Spring Column         | 1   |
| Cap 506XL  | Exhaust Pipe Spring                | 1   |
| Cap 2211K  | Engine Mounts                      | 1   |
| Cap 17010  | Grub Screw M4x4                    | 1   |
| Cap 2147   | Button Head Cap Screw Flange M4x8  | 4   |
| Cap 17031  | Countersunk Head Cap Screw M3x8   | 2   |
| Cap 2146   | Countersunk Head Cap Screw M4x8  | 1   |
| Cap 3027   | Wheel Nut                        | 4   |










| <i>Part Code</i> | <i>Part Name &amp; Picture</i>  | <i>Qty</i> |
|------------------|---------------------------------|------------|
| Cap 3166         | Clutch flywheel                 | 1          |
| Cap 408          | Clutch flywheel Nut             | 1          |
| Cap 3167         | Clutch Shoes<br>Low-Medium Grip | 1          |
| Cap 3168         | Clutch Disk                     | 1          |
| Cap 2391         | Clutch Spring Extra<br>Hard     | 1          |
| Cap 3170         | Clutch Ring                     | 1          |
| Cap 434-0.5      | Shim 5X7X0.5                    | 1          |
| Cap 415          | Bearing 5x10x4                  | 2          |
| Cap 3171         | Clutch Bell<br>Long Gears       | 1          |

| <i>Part Code</i> | <i>Part Name &amp; Picture</i> | <i>Qty</i> |
|------------------|--------------------------------|------------|
| Cap 2123-23      | Pinion 23T                     | 1          |
| Cap 2123V2-18    | Pinion 18T                     | 1          |
| Cap 3169         | Clutch Bushing                 | 1          |
| Cap18025         | Socket Head Cap<br>Screw M3x10 | 1          |



Cap 3167  
Low-Medium Grip (Default)



Cap 3167-HG  
High Grip (Optional  
Not Included)

